Amendments to the Claims

Claim 1 (Currently amended): A n

comprising:

A method of identifying and selecting transformants

transforming a host-fungus cell with Agrobacterium under suitable conditions whereby recombination occurs, the Agrobacterium comprising a vector containing a targeting construct wherein said construct comprises a first polynucleotide sequence encoding a negative selection marker linked to a fragment of DNA flanked by DNA sequences homologous to a polynucleotide to be targeted, wherein said DNA fragment is disrupted by a positive selection marker; and

selecting transformants by subjecting a transformed host cell to a positive and a negative selection agent.

Claim 2 (Original): The method of claim 1, wherein transformants resulting from a knockout lack a negative selection marker and ectopic, heterologous, or illegitimate transformants express both a negative and a positive selection marker.

Claim 3 (Canceled).

Claim 4 (Original): The method of claim 3, wherein said fungal cell comprises mycelial fragments, spores, and protoplasts.

Claim 5 (Original): The method of claim 1, wherein said negative selection marker confers susceptibility to an agent.

Claim 6 (Original): The method of claim 5, wherein said negative selection marker is operably linked to a promoter sequence.

Claim 7 (Original): The method of claim 5, wherein said negative selection marker is selected from the group consisting of a herpes simplex virus thymidine kinase (HSVtk), and a bacterial endotoxin gene.

Claim 8 (Original): The method of claim 7, wherein said negative selection marker is HSVtk.

Claim 9 (Original): The method of claim 1, wherein said positive selection marker confers resistance to an antibiotic.

Claim 10 (Original): The method of claim 9, wherein said positive selection marker is selected from the group consisting of hygromycin B phosphotransferase (hph) gene, neomycin phosphotransferase (npt) gene, mutated beta-tublin (ben) gene, Bar, Ble, Sat-1, and cbx.

Claim 11 (Original): The method of claim 10, wherein said positive selection marker is a hygromycin resistance gene (hph).

Claim 12 (Original): The method of claim 3, wherein said fungal cell is a fungal species selected from the group consisting of Aspergillus fumigatus, Botrytis cineria, Magnaporthe grisea and Fusarium oxysporum.

Claim 13 (Original): The method of claim 12, wherein said fungal cell is Magnaporthe grisea.

Claim 14 (Original): The method of claim 12, wherein said fungal cell is Fusarium oxysporum.

Claim 15 (Original): The method of claim 1, wherein said transformation is mediated by Agrobacterium tumefaciens.

Claim 16 (Withdrawn): A strain of fungal cells transformed by the method of claim 1.

Claim 17 (Withdrawn): A polynucleotide construct comprising a first polynucleotide sequence encoding a negative selection marker linked to a fragment of DNA flanked by DNA sequences homologous to a polynucleotide to be targeted, wherein said DNA fragment is disrupted by a positive selection marker.

Claim 18 (Withdrawn): A vector comprising the polynucleotide construct of claim 17.

Claim 19 (Withdrawn): The vector of claim 18 capable of transforming fungal cells in culture susceptible to infection by *Agrobacterium tumefaciens*.

Claim 20 (Withdrawn): An Agrobacterium tumefaciens cell comprising the vector of claim 18.

Claim 21 (Withdrawn): A method of identifying a gene knockout mutant comprising:

- (a) providing a polynucleotide construct comprising a first polynucleotide sequence that encodes a negative selection marker linked to a fragment of DNA flanked by DNA sequences homologous to the polynucleotide to be targeted, wherein said DNA fragment is disrupted by a positive selection marker;
- (b) introducing into Agrobacterium the construct provided in (a), thereby producing a resultant Agrobacterium cells containing a DNA fragment with a disrupted sequence;
- (c) incubating Agrobacterium produced in (b) with fungal cells under conditions so that T-DNA containing said construct is integrated into a fungal cell genome, wherein transformants resulting from knockout lack a negative selection marker and ectopic, heterologous, or illegitimate transformants express both a negative and a positive selection marker; and
- (d) selecting knockout mutants by subjecting transformed fungal cells to a positive and a negative selection agent.

Claim 22 (Withdrawn): The method of claim 21, wherein said DNA fragment is a gene of interest that is rendered nonfunctional by insertion of a selection marker, thereby generating a null mutation to assess a phenotypic affect of at least one mutant allele.

Claim 23 (Withdrawn): The method of claim 21, wherein said fungal cells comprise mycelial fragments, spores, and protoplasts.

Claim 24 (Withdrawn): The method of claim 21, wherein said negative selection marker is operably linked to a promoter sequence.

Claim 25 (Withdrawn): The method of claim 21, wherein said positive selection marker is selected from the group consisting of hygromycin B phosphotransferase (hph) gene, neomycin phosphotransferase (npt) gene, mutated beta-tublin (ben) gene, Bar, Ble, Sat-1, and cbx.

Claim 26 (Withdrawn): The method of claim 25, wherein said positive selection marker is a hygromycin resistance gene.

Claim 27 (Withdrawn): The method of claim 21, wherein said negative selection marker is selected from the group consisting of herpes simplex virus thymidine kinase (HSVtk), a bacterial endotoxin gene, and a diphtheria toxin A fragment.

Claim 28 (Withdrawn): The method of claim 27, wherein said negative selection marker is HSVtk

Claim 29 (Withdrawn): The method of claim 21, wherein said negative selection agent is selected from the group consisting of ganciclovir, acyclovir, and 5-fluoro-2'-deoxyuridine (F2dU).

Claim 30 (Withdrawn): The method of claim 29, wherein said negative selection agent is 5-fluoro-2'-deoxyuridine (F2dU).

Claim 31 (Withdrawn): The method of claim 21, wherein said positive selection agent is selected from the group consisting of hygromycin B, geneticin or G-418, benomyl, basta, phleomycin, nourseothricin, and carboxin.

Claim 32 (Withdrawn): The method of claim 31, wherein said positive selection agent is hygromycin B.

Claim 33 (Withdrawn): The method of claim 21, wherein said fungal cells are fungal species selected from the group consisting of Aspergillus funigatus, Botrytis cineria, Magnaporthe grisea and Fusarium oxysporum.

Claim 34 (Withdrawn): The method of claim 33, wherein said fungal cells are Magnaporthe grisea.

Claim 35 (Withdrawn): The method of claim 33, wherein said fungal cells are Fusarium oxysporum.

Claim 36 (Withdrawn): A strain of fungal cells transformed by the method of claim 21.

Claim 37 (Withdrawn): A method of transforming fungal cells to identify mutants comprising:

inserting a polynucleotide construct to be introduced into fungal cells into an Agrobacteriumbased vector between T-DNA borders in that vector:

introducing said vector containing said DNA construct into Agrobacterium tumefaciens cells, wherein said cells contain a virulence region in its DNA;

inducing virulence genes to T-DNA containing said construct from said Agrobacterium tumefaciens and incubating said Agrobacterium tumefaciens with a fungal cells to be transformed; and selecting transformed fungal cells from untransformed fungal cells by subjecting transformants to a positive and a negative selection agent.

Claim 38 (Withdrawn): The method of claim 37, wherein said fungal cells comprise mycelial fragments, spores, and protoplasts.

Claim 39 (Withdrawn): The method of claim 37, wherein said polynucleotide construct comprises a disruption cassette.

Claim 40 (Withdrawn): The method of claim 39, wherein said cassette comprises a DNA fragment having at least one mutant allele, wherein said mutant allele is generated by the insertion of a positive selection marker.

Claim 41 (Withdrawn): The method of claim 37, wherein said construct further comprises a negative selection marker that is operably linked to a promoter sequence.

Claim 42 (Withdrawn): The method of claim 40, wherein said positive selection marker is selected from the group consisting of hygromycin B phosphotransferase (hph) gene, neomycin phosphotransferase (npt) gene, mutated beta-tublin (ben) gene, Bar, Ble, Sat-1, and cbx.

Claim 43 (Withdrawn): The method of claim 42, wherein said positive selection marker is a hygromycin resistance gene.

Claim 44 (Withdrawn): The method of claim 37, wherein said negative selection marker is selected from the group consisting of herpes simplex virus thymidine kinase (HSVtk), a bacterial endotoxin gene, and a diphtheria toxin A fragment.

Claim 45 (Withdrawn): The method of claim 44, wherein said negative selection marker is HSVtk

Claim 46 (Withdrawn): The method of claim 37, wherein said negative selection agent is selected from the group consisting of ganciclovir, acyclovir, and 5-fluoro-2'-deoxyuridine (F2dU).

Claim 47 (Withdrawn): The method of claim 46, wherein said negative selection agent is 5-fluoro-2'-deoxyuridine (F2dU).

Claim 48 (Withdrawn): The method of claim 32, wherein said positive selection agent is selected from the group consisting of hygromycin B, geneticin or G-418, benomyl, basta, phleomycin, nourseothricin, and carboxin.

Claim 49 (Withdrawn): The method of claim 48, wherein said positive selection agent is hygromycin B.

Claim 50 (Withdrawn): The method of claim 37, wherein said fungal cells are fungal species selected from the group consisting of Aspergillus fumigatus, Botrytis cineria, Magnaporthe grisea and Fusarium oxysporum.

Claim 51 (Withdrawn): The method of claim 50, wherein said fungal cells are Magnaporthe grisea.

Claim 52 (Withdrawn): The method of claim 50, wherein said fungal cells are Fusarium oxysporum.

Claim 53 (Withdrawn): A strain of fungal cells transformed by the method of claim 37.

Claim 54 (Withdrawn): A method of identifying and selecting transformants comprising: transforming fungal cells with Agrobacterium tumefaciens under suitable conditions whereby recombination occurs, wherein transformants resulting from a gene knockout lack a negative selection marker and ectopic, heterologous, or illegitimate transformants will

express a negative and a positive selection marker, said Agrobacterium tumefaciens comprising a gene disruption vector, said vector comprises a polynucleotide encoding a negative selection marker linked to a fragment of DNA flanked by DNA sequences homologous to the polynucleotide to be targeted, wherein said fragment contains at least one mutant allele, wherein said mutant allele is generated by the insertion of a positive selection marker;

regenerating transformants in the presence of both a positive and a negative selection agent; and selecting putative knockout mutants.

Claim 55 (Withdrawn): The method of claim 54, wherein said fungal cells comprise mycelial fragments, spores, and protoplasts.

Claim 56 (Withdrawn): The method of claim 54, wherein said fungal cells are fungal species selected from the group consisting of Aspergillus fumigatus, Botrytis cineria, Magnaporthe grisea and Fusarium oxysporum.

Claim 57 (Withdrawn): The method of claim 56, wherein said fungal cells are Magnaporthe grisea.

Claim 58 (Withdrawn): The method of claim 56, wherein said fungal cells are Fusarium oxysporum.

Claim 59 (Withdrawn): A strain of fungal cells transformed by the method of claim 54.

Claim 60 (Withdrawn): A method of identifying and selecting transformants comprising: transforming fungal cells with Agrobacterium tumefaciens cells under suitable conditions whereby recombination occurs wherein transformants resulting from gene knockout lack a negative selection marker and ectopic, heterologous, or illegitimate transformants express both a negative and a positive marker, said Agrobacterium tumefaciens cells comprising a gene disruption vector, said vector comprising in an operable orientation a

pGreen II cloning site, a polynucleotide sequence that encodes a negative selection marker, said sequence is linked to a fragment of DNA, wherein said DNA fragment is disrupted by a positive selection marker; and selecting gene knockout mutants by subjecting transformed fungal cells to a positive and a

Claim 61 (Withdrawn): The method of claim 60, wherein said fungal cells are fungal species selected from the group consisting of Magnaporthe grisea and Fusarium oxysporum.

negative selection agent.

Claim 62 (Withdrawn): A targeted polynucleotide having undergone homologous recombination with the vector of claim 1 so as to incorporate said DNA fragment disrupted by a positive selectable marker into said targeted polynucleotide.

Claim 63 (Withdrawn): A polynucleotide construct in an operable orientation comprising a first polynucleotide sequence encoding a negative selection marker; a DNA fragment disrupted by a positive selection marker; and a pGreen II cloning site.

Claim 64 (Withdrawn): The polynucleotide construct of claim 17, wherein said first polynucleotide sequence a herpes simplex virus thymidine kinase (HSVtk) and said second polynucleotide sequence disrupted by an hygromycin resistance selection marker.

Claim 65 (Withdrawn): The polynucleotide construct of claim 17, wherein said second polynucleotide is homologous to a targeted polynucleotide sequence in a fungal host cell.

Claim 66 (New): A method of identifying and selecting transformants comprising;
transforming a fungus cell selected from the group consisting of Aspergillus fumigatus, Botrytis
cineria, Magnaporthe grisea and Fusarium oxysporum with Agrobacterium under
suitable conditions whereby recombination occurs, the Agrobacterium comprising a
vector containing a targeting construct wherein said construct comprises a first
polynucleotide sequence encoding a negative selection marker of Herpes Simplex Virus

thymidine kinase linked to a fragment of DNA flanked by DNA sequences homologous to a polynucleotide to be targeted, wherein said DNA fragment is disrupted by a positive selection marker of hygromycin B; and

selecting transformants by subjecting the transformed fungus cell to a positive and a negative selection agent.